


A8.6 CANOPY PLAN AND SECTIONS KEY NOTES

- GENERAL**
- 02 EDGE OF ROOF.
 - 03 CURVED WALL. RADIUS MEASURES 37'-0"
 - 04 CANOPY CEILING FINISHED WITH FIBER CEMENT BOARDS BRACED TO STEEL STRUCTURE. REFER TO SECTION.
- DIVISION 3 - CONCRETE**
- 3C 10" THICK CAST IN PLACE CONCRETE FOUNDATION WALL, SMOOTH FINISH. REFER TO STRUCTURAL DRAWINGS
 - 3D CAST IN PLACE REINFORCED CONCRETE STEPS.
- DIVISION 4 - MASONRY**
- 4A PRE-CAST CONCRETE CAP
 - 4B CUT STONE MASONRY VENEER
- DIVISION 5 - METAL**
- 5B STEEL BEAM. REFER TO STRUCTURAL DRAWINGS.
 - 5D BENT STEEL PLATE. REFER TO STRUCTURAL DRAWINGS.
 - 5F 1 1/2" STEEL GUARD AND HAND RAIL, MOUNTED ON 1/2"x1-1/2" BAR STEEL STANCHIONS
 - 5Q GALVANIZED STEEL EXTERIOR RAILINGS, PAINT.
- DIVISION 6 - WOOD, PLASTICS & COMPOSITES**
- 6E FIBER CEMENT TRIM BOARD. FASTEN TO STRUCTURE, PAINT.
 - 6S FIBER CEMENT WALL PANEL WITH BEAD BOARD STYLE REVELS, PAINT.
- DIVISION 7 - THERMAL MOISTURE PROTECTION**
- 7D CUSTOM PREFINISHED GUTTER.
 - 7G 6" DOWN SPOUT CONNECT TO UNDERGROUND STORM SEWER.
 - 7K ALUMINUM FLASHING
 - 7L COMPOSITION SHINGLE ROOF WITH 30 LB. ROOFING FELT UNDERLAYMENT. INSTALL PER MANUFACTURER SPECIFICATIONS. SHINGLES NAILED ON 5/8" PLYWOOD SHEATHING WITH H-CLIPS AT JOINTS FOR EDGE SUPPORT. SHEATHING MOUNTED TO 1-1/2" STEEL ROOF DECK THROUGH NOMINAL 1"x4" FIBER CEMENT BOARD BLOCKING AT 24" O.C. USING 3" SELF TAPPING SHEET METAL SCREWS. RIDGE VENT. INSTALL PER MANUFACTURER SPECIFICATIONS.
- DIVISION 8 - OPENINGS**
- 8A 2" X 4 1/2" STORE FRONT SYSTEM W/1" INSULATED GLASS.
- DIVISION 9 - FINISHES**
- 9D 2 1/2" METAL STUD FRAMING. BRACE TO STRUCTURE
 - 9E 3 5/8" METAL STUD FRAMING. BRACE TO STRUCTURE
 - 9F 6" METAL STUD FRAMING. BRACE TO STRUCTURE
 - 9G STEEL STUD BOX BEAM. REFER TO STRUCTURAL DRAWINGS



03 REFLECTED CEILING PLAN A8.6 SCALE: 1/2" = 1'-0"

